




WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDED 26 APRIL 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE

INJURY

SPECIAL SECTION
ON
HEALTH CONDITIONS
IN
MARCH 1946

ARMY
MEDICAL
MAY 17 1946
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 26 APRIL 1946

	PAGE
NATURE OF THE DATA.	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	14
STATIONS WITH HIGHEST MORBIDITY RATES	19
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	20

REVIEW OF HEALTH CONDITIONS IN MARCH 1946

COMMENT ON RECENT DEVELOPMENTS	21
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	29
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 1000 OR OVER	31
STATIONS WITH HIGHEST MORBIDITY RATES	44

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (1).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualls, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER


In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (X) is placed after the name of the station.

RESTRICTED

MORBIDITY FROM ——— ALL CAUSES ————— INJURY ONLY

CONTINENTAL UNITED STATES




RESTRICTED

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ————— DISEASE ————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See chart on Page 3.)

Morbidity from all causes during the week ended 26 April increased by 5 per cent, being reported at 616 admissions per 1000 troops per annum, as compared with 588 such admissions during the preceding week.

Injury: (See chart on Page 3.)

Injury admissions remained at 35 per 1000 troops per annum; highest rate was that reported from the Fourth Service Command (42 per 1000), ranging down to 25 per 1000 in the Second and Third Service Commands.

Diseases:

(See chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week increased from 553 to 581 admissions per 1000 troops per annum. Increases of 10 per cent or over occurred in the Second, Fourth, and Fifth Service Commands and the Military District of Washington.

Respiratory Diseases:

(See charts on opposite page and Pages 6 and 7.)

The rate for colds, influenza, etc. increased during the week from 110 per 1000 to 114 per 1000. Morbidity from these causes continued highest in the Third Service Command.

Admissions for all forms of pneumonia remained at 14 per 1000 troops per annum. Highest morbidity (25 admissions per 1000 troops per annum) was reported from the Seventh Service Command; rates ranged downward to 5 per 1000 (only 9 cases) in the Ninth Service Command. Rates for pneumonias other than primary atypical decreased during the week from 5.2 to 4.1 per 1000 troops per annum. In the corresponding periods of last year, this rate was 2.9 and 2.6 per 1000, while it moved from 5.8 to 5.4 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases increased during the week, from 82 to 87 per 1000 troops per annum.

Other Communicable Diseases:

Morbidity from diarrhea and dysentery was reported at 2 admissions per 1000 troops per annum.

Rates for scarlet fever continued high; the current week's rate of 10.9 per 1000 represents a decrease of about 10 per cent under that reported in the previous week.

The rate for rheumatic fever remained at 4.2 admissions per 1000 troops per annum during the current week.

Admissions for streptococcal sore throat decreased during the week from 3.6 to 2.9 per 1000 troops per annum.


MORBIDITY AT TRAINING CENTERS: (See table on Page 13.)

It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.


VARIATIONS BY SERVICE COMMAND

MORBIDITY FROM

— ALL CAUSES
— COLDS, INFLUENZA, ETC.



VARIATIONS BY SERVICE COMMAND (CONT.)



COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by about a third; this rate increased during the week by about 6 per cent at stations having training centers, and 5 per cent at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while still three times that at other stations, remained the same as previous week. Rates at ASFTC's continued higher than those at Air Force and Ground Force centers.

Admissions for pneumonia at training center stations as a whole increased from 27 to 29 per 1000 troops per annum, contrasting with the rate of 8 at other stations; AAFBTC's continued to show highest morbidity. However, the rate at Air Forces centers decreased from 79 to 57 admissions per 1000 troops.

Morbidity from scarlet fever at stations having training centers decreased from 31 to 27 admissions per 1000 troops per annum. The rate for rheumatic fever decreased during the week (9 to 7 admissions per 1000 troops per annum) at stations having training centers.

The venereal disease admission rate at training center stations as a whole continued lower than that for other stations. (High venereal disease rates at ASFTC's are accounted for in large measure by the larger ratio of colored to white troops at these stations than at others.)

NONEFFECTIVE RATE: (See chart on Page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 41.5 per 1000 troops for the week ended 26 April as compared with 33.3 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 26 APRIL 1946:

(See chart on Page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 88,042 as compared with 92,792 at the end of the previous week.

The number of neuropsychiatric cases remaining was 6135 or about 200 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 17,000. Battle wounded remaining decreased by about 750 to 20,550.


CERTIFICATES OF DISABILITY FOR DISCHARGE:

(See chart on Page 10.)

In the week ended 26 April there were 1789 enlisted personnel discharged by CDD (about 200 less than the previous week). These discharges included 66 accomplished at Air Force medical activities. Among them were 415 neuropsychiatric cases, about 65 less than were separated by this method last week.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S														MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH		
		ANNUAL RATE PER 1000 STRENGTH							ANNUAL CASE RATE PER 1000 STRENGTH									
		ALL CAUSES		DISEASE		INJURY			COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)			
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week
TOTAL UNITED STATES	1229534	1281039	616	588	581	553	35	35	114	110	14	14	2	2	87	82	42	41
FIRST SERVICE COMMAND	33376	36031	465	489	435	463	30	26	69	88	9	7?	8?	0	31	29	46	45
SECOND SERVICE COMMAND	115854	122261	706	617	681	538	25	29	97	67	8	9	2?	2?	88	73	46	44
THIRD SERVICE COMMAND	135180	133069	756	792	731	758	25	34	191	198	15	19	0	1?	126	95	41	43
MIL. DIST. OF WASHINGTON	45221	46089	610	545	584	527	26	18	151	139	15	9	1?	1?	51	54	45	45
FOURTH SERVICE COMMAND	229241	244832	602	528	560	486	42	42	61	61	22	23	3	2	145	149	41	40
FIFTH SERVICE COMMAND	96275	102296	624	583	587	542	37	41	113	107	10	9	3	5	69	54	40	38
SIXTH SERVICE COMMAND	82929	85042	499	495	467	448	32	47	115	105	16	11	1?	2?	45	60	33	33
SEVENTH SERVICE COMMAND	86207	91172	635	593	596	570	39	23	157	141	25	9	0	0	66	55	45	42
EIGHTH SERVICE COMMAND	218978	231510	601	579	562	544	39	35	124	139	16	15	0?	2	62	57	40	39
NINTH SERVICE COMMAND	186273	188737	564	590	526	553	38	37	105	90	5	9	4	4	75	79	43	44
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year**	Previous Year**
TOTAL UNITED STATES	1618746	2880314	629	641	598	591	31	50	168	162	17	13	3	7	75	44	80	80
FIRST SERVICE COMMAND	53886	79704	542	686	515	640	27	46	134	157	10	7	6	7	36	53	139	121
SECOND SERVICE COMMAND	152494	181720	652	694	627	651	25	43	137	161	13	11	6	6	64	50	101	108
THIRD SERVICE COMMAND	163648	183996	792	692	764	652	28	40	259	163	20	12	2	6	104	62	66	91
MIL. DIST. OF WASHINGTON	48061	51509	771	635	745	595	26	40	298	179	29	8	2	6	42	21	78	70
FOURTH SERVICE COMMAND	324076	703403	564	625	531	568	33	57	117	138	21	15	2	7	113	47	67	69
FIFTH SERVICE COMMAND	118308	136560	581	667	552	622	29	45	118	204	12	15	3	7	64	50	103	170
SIXTH SERVICE COMMAND	98637	103278	557	673	529	637	28	36	120	184	17	20	3	5	53	49	119	128
SEVENTH SERVICE COMMAND	131132	265876	726	594	701	554	25	40	249	148	19	10	4	5	58	41	81	80
EIGHTH SERVICE COMMAND	265864	703160	631	643	596	586	35	57	205	188	18	16	2	8	64	37	68	56
NINTH SERVICE COMMAND	262640	471108	585	627	547	576	38	51	135	150	11	9	4	6	61	38	68	73

FORM 98-396B REVISED 13 NOVEMBER 1943

RESTRICTED

** DOES NOT INCLUDE EVACUEES.
*** DOES INCLUDE EVACUEES.

*Includes Acute Catarrhal Bronchitis, Acute Coryza,
Acute Catarrhal Pharyngitis, Acute Catarrhal Naso-
pharyngitis and Acute Catarrhal Laryngitis.

ARMY SERVICE FORGES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 17
WEEK ENDING 26 April 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M*COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1229534	183	220	258	5	100	241	83	7	241	96	68	150	52	37	14	1	1739
FIRST SERVICE COMMAND	33376	2	5	4		2	3	6		8	2		4	1	1			67
SECOND SERVICE COMMAND	115854	14	8	9		8	14	22	4	26	5	3	28	4	3	1		228
THIRD SERVICE COMMAND	135180	26	15	70		11	32	10		12	22	10	30	2	2			76
MIL. DIST. OF WASHINGTON	45221	10	15	14		13	6	2	1	4	2	1		4	4			25
FOURTH SERVICE COMMAND	229241	19	19	35		10	87	13		36	12	4	18	13	7	6		354
FIFTH SERVICE COMMAND	96275	6	17	29	2	3	8	3		14	5	3	6	5	2	2	1	133
SIXTH SERVICE COMMAND	82929	4	12	10		14	14	6		10	5	3	3	3	2	1		164
SEVENTH SERVICE COMMAND	86207	24	17	45	1	20	38	4		17	11	29	5	4	4			228
EIGHTH SERVICE COMMAND	218978	42	48	21	1	13	30	9	1	63	24	14	23	11	9	2		237
NINTH SERVICE COMMAND	186273	36	64	21	1	6	9	8	1	51	8	1	33	5	3	2		277
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1281039	173	221	304	13	105	207	92	6	190	61	91	218	55	28	26	1	2005
FIRST SERVICE COMMAND	36031	2	2	3			3	3		4	3		3	4	4			90
SECOND SERVICE COMMAND	122261	16	7	6		5	15	46	5	6	13	16	35	5	2	3		298
THIRD SERVICE COMMAND	133069	25	25	100	3	10	38	8		23	7	13	45	3	1	2		150
MIL. DIST. OF WASHINGTON	46089	3	6	13	1	16	5	1	1	4		1	6	6	2	4		59
FOURTH SERVICE COMMAND	244832	13	24	30	2	16	75	6		29	4	4	28	6	4	2		317
FIFTH SERVICE COMMAND	102296	12	10	22		2	9	4		20	4	4	7	5	1	4		202
SIXTH SERVICE COMMAND	85042	5	6	14		5	3	4		7	5	3	9	8	3	5		223
SEVENTH SERVICE COMMAND	91172	10	31	35	1	24	6	5		7	9	30	16	1	1			144
EIGHTH SERVICE COMMAND	231510	41	58	33	4	17	40	9		53	9	15	39	10	6	4		250
NINTH SERVICE COMMAND	188737	46	52	48	2	10	13	6		37	7	5	30	7	4	2	1	272

FORM SG-398C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
FIRST SERVICE COMMAND	33376	465	435	30	69	9	8?	31	2	5	4		2	3	6	1	1		67	
Devens, Ft., Mass. 4/	13732	478	470	8?	49		4?	15?	1		1				1					
Westover Field, Mass.	5938	306	280	26?	61		9?	44?	1	2			1			1	1			
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	13706	520	467	53	91	23	11?	42		3	3		1	3	5				67	
SECOND SERVICE COMMAND	115854	706	681	25	97	8	2?	88	14	8	9		8	14	22	4	3	1	228	
Dix, Ft., N.J. 4/	46004	683	677	6?	52	5?		29	4		5			4	2				3	
Kilmer, Co., N.J.	18021	883	877	6?	23	6?		312	7	4				1	3	2	2		1	
Monmouth, Ft., N.J.	5868	780	745	35?	381	27?	9?	53?		1	1			3					3	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	45961	652	601	51	135	9	3?	62	3	3	3		8	6	17	2	1	1	221	
THIRD SERVICE COMMAND	135180	756	731	25	191	15		126	26	15	70		11	32	10	2	2		76	
Aberdeen Prov. Grd., Md. 1/	24065	988	964	24	491	22		78	8	2	32		3	10					6	
Eustis, Ft., Va. 1/	13795	1139	1105	34	287	23		189	8	4				6	1					
Geo. G. Meade, Ft., Md. (RH) 4/	25814	562	554	8?	44	10?		181	1		1			4	5				9	
Lee, Co., Va. (RH) 1/	37739	753	747	6?	132	19		160	8	8	37		8	11		1	1		16	
Pickett, Co., Va.	6520	567	551	16?	192			96											6	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	27247	594	527	67	99	6?		44	1	1				1	4	1	1		39	

FORM SG-945 11 DEC. 1944

RESTRICTED

** DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY		
MILITARY DISTRICT OF WASH.	45221	610	584	26	151	15	1?	51	10	15	14		13	6	2	4	4		25	
Belvoir, Ft., Va. (RH) 1/	18902	663	638	25	190	33		69	6	14	14		13	5		1	1		2	
Washington, Gen. Disp., D.C.	7366	438	424	14?	193										1					
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	18953	626	593	33	93	3?	3?	52	4	1				1	1	3	3		23	
FOURTH SERVICE COMMAND	229241	602	560	42	61	22	3	145	19	19	35		10	87	13	13	7	6	354	
Penning, Ft., Ga. (RH)	23322	738	691	47	71	11?		234	3					3	1				5	
Fragg, Ft., N.C. 3/ 4/ (RH)	35005	477	443	34	51	4?		86	1	4	4			2	1				13	
Greensboro AAFORD, N.C.	14271	485	445	40	11?	33	4?	153	6	2	3		1	9						
Jackson, Ft., S.C.	17459	522	492	30	3?		6?	211							1				3	
Keesler, Field, Miss. (RH) 2/	22383	881	848	33	144	51		28	4	5	10		3	22		1		1	6	
McClellan, Ft., Ala. 3/ (RH)	28426	569	520	49	117	88	9?	49		3	16		2	47	2				19	
McPherson, Ft., Ga. 4/	12377	697	676	21?	25	21?	4?	143	1				1	3	2					
Shelby, Co., Miss. 4/	9285	1048	1031	17?	39	6?		829		1				1					3	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	66713	505	451	54	46	2?	2?	111	4	4	2		3		6	12	7	5	305	

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
- 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
- 3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
- 4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIFTH SERVICE COMMAND	96275	624	587	37	113	10	3	69	6	17	29	2	3	8	3	5	2	2	133
Atterbury, Cp., Ind. 4/	28408	494	487	7?	27	4?		33		1				2		1		1	
Campbell, Cp., Ky.	18506	416	388	28	6?			59	1						1				2
Dayton, Ohio AAF Tech Base(RH)	5894	617	582	35?	124	9?		88	2	1			1	1					
Knox, Ft., Ky. 3/ (RH)	24276	857	823	34	291	21	9?	71	3	12	29	2	2	5	1				6
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19191	721	629	92	114	14?	5?	122		3						4	2	1	125
SIXTH SERVICE COMMAND	82929	499	467	32	115	16	1?	45	4	12	10		14	14	6	3	2	1	164
Chanute Field, Ill. (RH)	10102	545	499	46	196	10?	5?	36		5	3		11	1	1				2
McCoy, Cp., Wis.	7834	638	618	20?	40	33?		46	1				1	5	4				4
Scott Field, Ill. (RH)	18834	624	602	22	232	25		55	1	3	7			2		1	1		
Sheridan, Ft., Ill. (RH) 4/	23816	334	319	15	39	2?	2?	44	1										9
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	22343	498	442	56	86	19		40	1	4			2	6	1	2	1	1	149

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
SEVENTH SERVICE COMMAND	86207	635	596	39	157	25		66	24	17	45	1	20	38	4	4	4		228
Buckley Field, Colo. (RH)	6004	1222	1127	95	624	52		61	3	1	8		7	6					8
Crowder, Co., Mo. (RH) 1/	19026	675	656	19	254	77		57	9	6	31	1	11	28					17
Jefferson Bks., Mo. 4/	6413	478	462	16?	87			138											1
Leavenworth, Ft., Kans. 4/	12004	572	563	9?	30	9?		69			1			2					9
Lowry Field, Colo.	6102	555	512	43?	196			68	2	1			1						
Snelling, Ft., Minn. 4/	5195	520	490	30?	40?	10?		50?		5			1	1	1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	31463	590	532	58	101	7?		58	10	4	5			1	3	4	4		193
EIGHTH SERVICE COMMAND	218978	601	562	39	124	16	0?	62	42	48	21	1	13	30	9	11	9	2	237
Amarillo AAF, Texas (RH)	6926	977	909	68	421	30?		30?	2	5	4		2						
Bliss, Ft., Texas 3/ 4/	15336	712	702	10?	176	27		34	4	3			1	5	1				
Chaffee, Co., Ark. 4/	9990	510	442	68	36	10?		73		1				2					2
Hood, Co., Texas	14677	645	585	60	57			67	2	6					2				4
Jos.T.Robinson, Co., Ark. 3/ (RH)	15215	574	523	51	260	14?	3?	31	9		2	1	2	3		1	1		2
New Orleans PoB, La. 1/	6411	552	511	41?	49	24?		203		2				3	1				3
Polk, Co., La. 1/	14550	1040	994	46	257	29		71	3	4	2			6					
Sam Houston, Ft., Tex. 1/ 4/	26674	429	423	6?	55	2?		80	1	3				1	1	2	2		
San Antonio AAF, Texas (RH)	25415	571	548	23	160	2?		25	12	10	6			1	1				14
Sheppard Field, Tex. (RH) 2/	19763	660	621	39	176	63		39	7	6	6		3	7		1	1		12
Sill, Ft., Okla.	7741	417	383	34?	47			94		1	1								3
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	56280	528	478	50	52	11	1?	72	2	7			5	2	3	7	5	2	197

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
- 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
- 3/ ARMY GROUND FORCES REPLACEMENT CENTER.
- 4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 17
WEEK ENDING 26 April 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Buckley Field, Colo.	1222	1469	Buckley Field, Colo.	1127	1354	Crowder, Cp., Mo. 1/	85	53
Eustis, Ft., Va. 1/	1139	1186	Eustis, Ft., Va. 1/	1105	1154	Aberdeen Prov. Grd., Md. 1/	69	72
Shelby, Cp., Miss. 4/	1048	801	Shelby, Cp., Miss. 4/	1031	768	Buckley Field, Colo.	69	52
Polk, Cp., La. 1/	1040	772	Polk, Cp., La. 1/	994	733	Knox, Ft., Ky. 3/	62	45
Aberdeen Prov. Grd., Md. 1/	983	1042	Aberdeen Prov. Grd., Md. 1/	964	983	Lee, Cp., Va. 1/	51	79
Amarillo AAF, Texas	977	1042	Stoneman, Cp., Calif.	910	1271	Belvoir, Ft., Va. 1/	39	35
Stoneman, Cp., Calif.	957	1344	Amarillo AAF, Texas	909	980	McClellan, Ft., Ala. 3/	29	32
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			MEASLES ANNUAL ADMISSION RATE PER 1000		
Buckley Field, Colo.	624	479	McClellan, Ft., Ala. 3/	88 (86)	77 (71)	Beale, Cp., Calif. 4/	34	92
Aberdeen Prov. Grd., Md. 1/	491	504	Crowder, Cp., Mo. 1/	77 (77)	26 (47)	Jos.T.Robinson, Cp., Ark. 3/	31	20
Amarillo AAF, Texas	421	481	Sheppard Field, Texas 2/	63 (18)	68 (50)	Eustis, Ft., Va. 1/	30	28
Monmouth, Ft., N.J.	381	234	Buckley Field, Colo.	52 (52)	0 (0)	Crowder, Cp., Mo. 1/	25	0
Knox, Ft., Ky. 3/	291	345	Keesler Field, Miss. 2/	51 (51)	90 (38)	San Antonio AAF, Texas	25	12
Eustis, Ft., Va. 1/	287	267	Belvoir, Ft., Va. 1/	33 (14?)	13? (5?)	Greensboro AAFORD, N.C.	22	0
Jos.T.Robinson, Cp., Ark. 3/	260	264	Greensboro AAFORD, N.C.	33 (33)	10? (7?)	Kilmer, Cp., N.J.	20	0
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Shelby, Cp., Miss. 4/	829	477	Buckley Field, Colo.	95	115			
Kilmer, Cp., N.J.	312	115	Amarillo AAF, Texas	68	62			
Benning, Ft., Ga.	234	353	Chaffee, Cp., Ark. 4/	68	247			
Stoneman, Cp., Calif.	216	267	Hood, Cp., Texas	60	59			
Jackson, Ft., S.C.	211	278	Jos.T.Robinson, Cp., Ark. 3/	51	74			
New Orleans PoE, La. 1/	203	135	McClellan, Ft., Ala. 3/	49	45			
Eustis, Ft., Va. 1/	189	187	Kearns AAFORD, Utah	49	30?			

FORM SG-396E Rev. 24 April 1946

RESTRICTED

*includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

**Figures in parentheses are rates for atypical pneumonia only.

1/ ARMY SERVICE FORCES TRAINING CENTER.
2/ ARMY SERVICE FORCES BASIC TRAINING CENTER.

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 17
WEEK ENDING 26 April 19 46

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<u>POLIOMYELITIS (1)</u> 1-Lovell GH, Mass.	<u>DIPHTHERIA (2)</u> 1-Newton D. Baker GH, W. Va. 1-McCoy, Cp., Wis.	<u>AMEBIC DYSENTERY (5)</u> 1-Lovell GH, Mass. 1-Bolling Field, D.C. 1-Bragg, Ft., N.C. 1-Sheridan, Ft., Ill. 1-O'Reilly GH, Mo.	<u>SCABIES (20)</u> 20-Dix, Ft., N.J. TREATED AS OUT-PATIENTS 526-Dix, Ft., N.J. 3-Hamilton, Ft., N.Y. 1503-Kilmer, Cp., N.J.	<u>COCCIDIOIDOMYCOSIS (2)</u> 1-Mitchel Field, N.Y. 1-Williams Field, Ariz.	LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES <u>STREPTOCOCCAL SORE THROAT</u> 25 Buckley Field, Colo. <u>GERMAN MEASLES</u> 17-Aberdeen Prov. Grd., Md. 23-Eastis, Ft., Va. 17-McClellan, Ft., Ala. 19-Knox, Ft., Ky. 26-Jos. T. Robinson, Cp., Ark. 12-Polk, Cp., La. 31-Lewis, Ft., Wash. <u>BACTERIAL FOOD POISONING</u> 162-Keesler Field RH, Mass.
<u>LYMPHOCYTIC MENINGITIS (1)</u> 1-Shanks, Cp., N.Y.	<u>PARATYPHOID FEVER (1)</u> 1-Sheridan, Ft., Ill.	<u>ENCEPHALITIS (4)</u> 2-Sheridan, Ft., Ill. 1-Sheppard Field, Texas 1-Long Beach AAF, Calif.	<u>UNDULANT FEVER (2)</u> 1-Percy Jones GH, Mich. 1-Pasadena RH, Calif.	<u>COLORADO TICK FEVER (2)</u> 2-Fitzsimons GH, Colo.	
<u>TYPHOID FEVER (1)</u> 1-Pasadena RH, Calif.					
<u>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</u> Crowder, Cp., Mo.					<u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u>

COMMENT ON RECENT DEVELOPMENTS

FOR THE FIVE-WEEK PERIOD ENDED 29 MARCH 1946

NATURE OF THE DATA:

The data of this Monthly Report, like those of the Weekly Health Reports, have been taken from WD AGO Form 8-122 rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. However, unlike the Weekly Health Reports which are compiled on the basis of the figures as received, so as to place the information in circulation at the earliest possible time, the figures here presented for the five-week period ended 29 March 1946 include the great majority of the corrected reports as well as reports received too late to be incorporated in the Weekly Health Report.

This report covers morbidity and mortality data for all individual stations with a strength of 1000 or over and gives details for admissions from venereal diseases and for neuropsychiatric cases.

Charts showing morbidity trends from all causes, from all diseases combined, from injury, and colds, influenza, etc., are presented on page 22. Similar charts for specified diseases appear on pages 24 and 25. A chart showing mortality trends is presented on page 28. A summary for the month of the number of admissions and corresponding morbidity rates and of the number of deaths and corresponding mortality rates for the United States as a whole and for the service commands is given on pages 29 and 30. The most pertinent morbidity data for individual stations are presented on pages 31 to 43. On pages 44 and 45 the seven stations with the highest rates of admission during the month are shown for each of the morbidity categories considered.

In reading the detailed tables, it should be borne in mind that morbidity (or mortality) rates based on small numbers of cases are not reliable. For this reason the symbol "?" has been placed after rates computed on the basis of 5 or fewer cases. Attention is invited to the definitions of admissions and admission rates and the discussion of the proportion of total Army strength included in the stations covered by this report as given on page 2. The term "month" in this report is used to denote the four- or five-week period based on the number of Fridays in the calendar month.

MORBIDITY FROM ALL CAUSES, DISEASE, AND INJURY:

The admission rate for all causes for the Army in the continental United States increased to 653 during March from 622 in the previous month. The rate for diseases increased to 622 per 1000 per annum, while that for injuries rose from 29 in February to 31 in March.

Disease admission rates increased during March by more than 10 per cent in the Fourth, Fifth, and Seventh Service Commands.


The admission rate for injury decreased or remained unchanged in all service commands except the Seventh, Eighth, and Ninth; highest morbidity was reported by the Ninth Service Command, with a rate of 36 per 1000.

MORBIDITY FROM ——— ALL CAUSES ——— DISEASE

—— INJURY ——— COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR



COMMENT ON RECENT DEVELOPMENTS (CONT.)

RESPIRATORY DISEASES:

During March the admission rate for common respiratory diseases decreased from 191 per 1000 to 177. A rate of 167 per 1000 was reported for March 1945, while the rate in the same month of 1944 was 214 per 1000.

The lowest rates (101 and 109 per 1000 respectively) were reported by the First and Sixth Service Commands; highest (312 and 319 per 1000) from the Military District of Washington, and the Seventh Service Command. The only sharp increase occurred in the Seventh Service Command where the March rate was 15 per cent above that reported for February.

Morbidity from all forms of pneumonia decreased slightly, from 18.8 per 1000 in February to 17.4 in March as compared with 13.9 in March of last year, and 16.2 in 1944. Increases in these rates are observed in the Fourth and Sixth Service Commands.

Morbidity from atypical primary pneumonias in the United States as a whole decreased from 12.7 admissions per 1000 troops per annum in February to 11.8 in March, with increases being noted in the Second, Fourth, and Sixth Service Commands and the Military District of Washington.

DIARRHEA AND DYSENTERY:

Morbidity from diarrhea and dysentery fell from 3.0 per 1000 in February to 2.9 in March, the rates continuing much lower than those reported in the same periods last year. Only the Second Service Command reported a rate in excess of 5 per 1000 per annum.

VENEREAL DISEASES:

Reported admissions for venereal diseases, excluding cases contracted prior to entry into service, increased during the month to 82.3 per 1000 troops per annum, from 67.1 such admissions reported in February.

Morbidity represented by venereal EPTS cases was reported at 5.0 per 1000 during March as compared with 4.6 per 1000 in February. The average weekly number of venereal EPTS cases in March was 142 as compared with 155 in February.

SCABIES:

The admission rate for scabies increased from 7.0 in February to 8.4 per 1000 in March.

INFECTIOUS HEPATITIS:

Morbidity from infectious hepatitis was 3.9 per 1000 in March as compared with 4.3 in February.

MEASLES:


Morbidity from measles increased to 399 cases per week during March as compared with 294 weekly cases in February. The rate moved from 8.7 to 14.1 per 1000. In March of last year the admission rate for measles was 3.3 per 1000 per annum, while in March of 1944 the rate had reached 8.7 per 1000.

MUMPS:

Morbidity from mumps increased from 7.1 per 1000 in February to 11.3 during March.


MORBIDITY FROM SELECTED DISEASES

CONTINENTAL UNITED STATES
ADMISSIONS PER 1000 TROOPS PER YEAR



MORBIDITY FROM SELECTED DISEASES

CONTINENTAL UNITED STATES
ADMISSIONS PER 1000 TROOPS PER YEAR



1946

1945

1944

1943

1942

COMMENT ON RECENT DEVELOPMENTS (CONT.)

SCARLET FEVER:

Morbidity from scarlet fever was reported at 14.7 per 1000 in March, as compared with 2.7 in March of last year, and 4.8 in 1944. The Military District of Washington reports the highest rate of 38.1 per 1000, while the lowest rate of 4.4 is noted in the Second Service Command.

MENINGOCOCCIC MENINGITIS:

Morbidity from meningitis was reported at 0.8 per 1000 in March.

RHEUMATIC FEVER:

Morbidity from rheumatic fever increased to 2.8 per 1000, from 1.2 in February. The Military District of Washington reported the highest morbidity from this cause (10.9 per 1000).

TUBERCULOSIS:

Morbidity from tuberculosis was reported at 4.8 per thousand in March, as compared with 3.7 in February. The current relatively high level arises in large part as the result of examinations at separation centers which tend to uncover cases which otherwise would be undetected.

As of 29 March there were 3658 cases of tuberculosis remaining under treatment in hospitals in this country. Of the total cases, 1088 were at Fitzsimons General Hospital and 881 at Bruns General Hospital.

MALARIA:

Morbidity from malaria acquired inside the United States was reported at 0.2 per 1000 in March. The number of cases presumably acquired outside the United States, which were admitted (or readmitted) for treatment in this country averaged about 232 per week.

NEUROPSYCHIATRIC DISORDERS:

The annual rate of admission for neuropsychiatric disorders increased from 20.4 in February to 21.2 per thousand in March.

During March an average of 528 CDD's per week were given to enlisted men classified as neuropsychiatric cases; the weekly average for February was 729 such CDD's. CDD's in March for men with neuropsychiatric disorders represented 19 per cent of all CDD's, as compared with 18 per cent in February.

The number of neuropsychiatric cases remaining under treatment as of 29 March was 7207 or about 1500 less than at the end of February. On 29 March 2240 locked ward cases were remaining in hospital. Neuropsychiatric cases remaining represented 6.8 per cent of all patients in hospital.

MORTALITY:

Mortality from all causes during March was reported at 2.13 per annum per 1000 strength. The mortality rate from disease was 1.13 per 1000 in March while the reported mortality rate from injury increased from 0.80 to 0.94 per 1000.

COMMENT ON RECENT DEVELOPMENTS (CONT.)

It should be noted that the reporting of deaths on Form WD AGO 8-122 is not complete, particularly for deaths from injury, for which the understatement may be as great as 10 per cent (see Special Report on Deaths in 1944 in Weekly Health Report, Volume V, Report No. 27). The mortality rate from injury when adjusted to allow for this under-reporting is about 1.03 per 1000, resulting in an estimated total death rate from all causes of 2.22 per 1000.

It is suggested that recent sharp increases in the death rate from diseases must be considered in the light of the rapidly diminishing number of Army troops in the United States and the accumulation of patients, particularly those suffering from tuberculosis, who cannot be as yet accepted by Veterans Administration hospitals. An analysis of these factors will be presented in this report in the near future.

NONEFFECTIVE RATE:

The estimated noneffective rate for Army personnel stationed in this country was about 43 per 1000 in March, as compared with 41 per 1000 reported for February.

ADMISSIONS TO HOSPITAL AND TO QUARTERS AND DISPENSARY:

"Admissions" entered on WD AGO Form 8-122 include not only all Army personnel admitted to a medical installation and not returned to duty within the same day, but also certain cases which have been "Carded for record only" (deaths among Army personnel not currently under Army medical care, CDD's among personnel not currently excused from duty, and cases of venereal disease treated on an outpatient status which have not previously been treated for the same current condition by an Army medical installation as an Army case).

During March, of some 92,000 admissions entered on the forms, about 7100 were carded for record only. Of the 84,900 patients excused from duty, 78,600 were hospitalized immediately upon reporting themselves sick or after a period of treatment in quarters or dispensary, while the remaining 6300 patients were excused from duty in quarters or dispensary, but were not hospitalized during the month.

In February, of about 83,600 admissions reported on WD AGO Form 8-122, approximately 5400 were carded for record only, 78,000 were hospitalized, and 4800 were excused from duty in quarters or dispensary, but not hospitalized during the month.

Rates of admission to hospital (including transfers from quarters or dispensary) in February were: all causes, 546 per 1000 troops per annum; diseases, 518 per 1000; and injuries, 28 per 1000. In March, such admissions for all causes numbered 557 per 1000, while the rates for diseases and injuries were 529 and 28 respectively.


MORTALITY

FROM

ALL CAUSES* — DISEASE — INJURY*

CONTINENTAL UNITED STATES

ANNUAL RATE PER 1000 TROOPS PER YEAR



* ADJUSTED FOR INCOMPLETE REPORTING OF DEATHS FROM INJURY AND ALL CAUSES. SEE TEXT.

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION, HEALTH REPORTS BRANCH

HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE-WEEK PERIOD ENDED 29 MARCH 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH ***	A D M I S S I O N S																				NEUROPSYCHIATRIC CASES				DEATHS				
																						ADMITTED		REMAINING AT END OF MONTH						
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE
IN USA	OUT OF USA	GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS																									
TOTAL UNITED STATES	1467344	92050	87723	4327	4491	2450	405	11608	2992	1996	1601	2077	107	388	1659	552	27	1161	679	925	1957	376	709	2536	456	4967	2240	300	160	132
FIRST SERVICE COMMAND	47037	2373	2227	146	456	31	16	172	37	15	13	31		6	20	23		31	17	128	37	7	7	37		250	29	15	5	8
SECOND SERVICE COMMAND	138782	8615	8251	364	1496	161	73	908	339	121	59	59	2	11	109	98	8	93	47	614	279	15	41	234	105	976	355	20	13	6
THIRD SERVICE COMMAND	158501	12144	11702	442	4076	294	37	1547	294	202	229	447	11	31	184	32		111	53	1237	258	52	42	241	53	412	373	17	11	6
MIL. DIST. OF WASHINGTON	48833	3826	3681	145	1467	153	15	202	99	58	69	179	3	51	102	14	2	34	11	169	33		9	90	9	53	70	15	12	3
FOURTH SERVICE COMMAND	299661	17327	16399	928	3479	705	62	3734	676	360	260	334	33	46	578	62	6	158	38	304	500	193	189	572	104	807	361	40	17	22
FIFTH SERVICE COMMAND	107317	6162	5885	277	1246	120	28	688	177	72	63	132	9	12	30	46	2	99	30	500	159	29	264	139	38	542	405	17	7	9
SIXTH SERVICE COMMAND	87824	4574	4351	223	921	182	11	473	118	43	54	88		15	114	60		78	150	351	111	11	3	115	3	366	23	26	20	5
SEVENTH SERVICE COMMAND	117437	9266	9014	252	3597	198	43	620	254	207	223	379	12	98	160	41	3	96	113	550	62	8	5	202	52	244	82	24	15	9
EIGHTH SERVICE COMMAND	237552	15099	14315	784	5068	386	29	1636	491	590	342	319	23	100	252	100	4	239	114	1330	266	40	127	436	55	581	256	69	36	33
NINTH SERVICE COMMAND	224400	12664	11898	766	3185	220	91	1628	507	328	289	109	14	18	110	76	2	222	106	1355	252	21	22	470	37	736	286	57	24	31

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

HEALTH REPORT

RESTRICTED

FOR THE FIVE-WEEK PERIOD ENDED 29 MARCH 1946

VOLUME VI REPORT NO. 17

SERVICE COMMAND AND STATION	MEAN STRENGTH***	A D M I S S I O N S																				NEUROPSYCHIATRIC CASES				DEATHS					
																						ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	MYCOCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*						PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS		
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
TOTAL UNITED STATES	1469344	652	621	31	177	17.3	2.9	82.2	21.1	14.1	11.3	14.7	.8	2.7	11.7	3.9	.2	8.2	4.8	65.6	13.9	2.7	5.0	17.9	3.2				2.12	1.13	.93
FIRST SERVICE COMMAND	47037	524	492	32	101	6.9	3.5	38.0	8.2	3.3	2.9	6.9		1.3	4.4	5.1		6.9	3.8	28.3	8.2	1.5	1.5	8.2					3.3	1.1	1.8
SECOND SERVICE COMMAND	138782	645	618	27	112	12.1	5.5	68.0	25.4	9.1	4.4	4.4	.1	.8	8.2	7.3	.6	7.0	3.5	46.0	20.9	1.1	3.1	17.5	7.9				1.5	1.0	.4
THIRD SERVICE COMMAND	158501	797	768	29	267	19.3	2.4	101.5	19.3	13.3	15.0	29.3	.7	2.0	12.1	2.1		7.3	3.5	81.2	16.9	3.4	2.8	15.8	3.5				1.1	.7	.4
MIL. DIST. OF WASHINGTON	48833	815	784	31	312	32.6	3.2	43.0	21.1	12.4	14.7	38.1	.6	10.9	21.7	3.0	.4	7.3	2.3	36.0	7.0		1.9	19.2	1.9				3.2	2.6	.6
FOURTH SERVICE COMMAND	299661	601	569	32	121	24.5	2.2	129.6	23.5	12.5	9.0	11.6	1.1	1.6	20.1	2.2	.2	5.5	1.3	105.5	17.4	6.7	6.6	19.9	3.6				1.4	.6	.8
FIFTH SERVICE COMMAND	107317	597	570	27	121	11.6	2.7	66.7	17.2	7.0	6.1	12.8	.9	1.2	2.9	4.5	.2	9.6	2.9	48.5	15.4	2.8	25.6	13.5	3.7				1.6	.7	.9
SIXTH SERVICE COMMAND	87824	541	515	26	109	21.6	1.3	56.0	14.0	5.1	6.4	10.4		1.8	13.5	7.1		9.2	17.8	41.6	13.1	1.3	.4	13.6	.4				3.1	2.4	.6
SEVENTH SERVICE COMMAND	117437	820	798	22	319	17.5	3.8	54.9	22.5	18.3	19.7	33.6	1.1	8.7	14.2	3.6	.3	8.5	10.0	48.7	5.5	.7	.4	17.9	4.6				2.1	1.3	.8
EIGHTH SERVICE COMMAND	239552	655	621	34	220	16.8	1.3	70.9	21.3	25.6	14.8	13.8	1.0	4.3	10.9	4.3	.2	10.4	4.9	57.7	11.5	1.7	5.5	18.9	2.4				3.0	1.6	1.4
NINTH SERVICE COMMAND	224400	587	551	36	148	10.2	4.2	75.5	23.5	15.2	13.4	5.1	.6	.8	5.1	3.5	.1	10.3	4.9	62.8	11.7	1.0	1.0	21.8	1.7				2.6	1.1	1.4

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH							NUMBER OF CASES										ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
FIRST SERVICE COMMAND	47037	524	492	32	101	7	4	38	8	15	13	31		6	20	23		31	17	128	37	7	7	37		250	29	15	5	8	
Boston Gen.Disp., Mass.	1411	310	288	22?	96		22?	7?								2		2		1			1								
Devens, Ft., Mass.	22144	509	501	8	100	3	2?	26		1	2	8			4	2		14	15	52	5							3		3	
Grenier Field, N.H.	1862	368	318	50	112	11?		45							1					8											
Westover Field, Mass.	6505	455	417	38	118	16	2?	76	18	9	7	8		2	10	3		2		40	6	1	1	11		1	1	1	1		
Stations Under 1000 Str. Gen. Hosp. & Conv. Hosp.	15115	616	553	63	94	8	5	41	18	5	4	15		4	5	16		13	2	27	26	6	5	26		249	28	11	4	5	

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FIVE WEEK PERIOD ENDED 29 March 1946

VOLUME VI REPORT NO. 17

SERVICE COMMAND AND STATION	MEAN STRENGTH **	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES											ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLD INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	MYCOCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
SECOND SERVICE COMMAND	138782	645	618	27	112	12	5	68	25	121	59	59	2	11	109	98	8	93	47	614	279	15	41	234	105	976	355	20	13	6	
Dix, Ft., N. J.	47501	650	643	7	77	7	0?	33	9	9	5	17		2	30	17		19	28	104	46		3	31	8						
Hamilton, Ft., N. Y.	1926	1571	1512	59	449	86		178	27?	11	2	8		2	9	1		11		26	6	1		4	1	1					
Hancock, Ft., N.J.	1650	719	687	32?	170	6?			13?	4								2						2							
Jay, Ft., N.Y. (RH)	2401	971	971		130	9?	4?	73	13?	2				1	2	3		2	1	13	4			3							
Kilmer, Cp., N.J.	23890	644	626	18	136	14	0?	152	19	68	29	17			18	38		6	1	172	176	1		43	1	9	6	2	2		
Mitchel Field, N.Y. (RH)	4324	678	553	125	63	19		46	51	1	2	1			8	11		2		14	4	1		19	2	9		1	1		
Monmouth, Ft., N.J.	16315	471	460	11	65	10	4	64	18	6	1	3			7	2		2	3	84	15		37	29		16	4	1	1		
Newark AAF, N.J.	1080	1214	1137	77	260	29?		125		3					2					13								1		1	
New York PoE, N.Y.	1692	572	547	25	141	25?	12?	12?							4					2											
New York, N.Y. Gen.Disp.	1122	3762	3373	389	445	37?	46?	491	120	2	4	2		1	3	1		5		50	3			13				2		2	
New York, N.Y. SCU 1202	1044	339	329	10?	80			20?												2			1								
Pine Camp, N.Y.	1196	635	548	87	104		17?	104	9?			2								12				1							
Shanks, Cp., N.Y.	2407	721	691	30	203	9?		125			5	3		2	1	1		2		23	3	3									
Stewart Field, N.Y. Reg. Army	1886	805	689	116	215		17?	149	11?		1					1				25	2			2				1		1	
West Point, N.Y.	2199	691	639	52	118		52	52	43											9	2										
West Point, N.Y. Cadets	2230	1334	1124	210	368		140																								
Stations Under 1000 Str. Gen. Hosp. & Conv. Hosp.	25919	417	394	23	103	17	4	37	72	15	10	6	2	3	25	23	8	42	14	65	18	9		87	93	941	345	12	9	2	

HEALTH REPORT

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH	A D M I S S I O N S																					NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS				
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES																				
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*				PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS				
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
THIRD SERVICE COMMAND	158501	797	768	29	267	19	2	102	19	202	229	447	11	31	184	32		111	53	1237	258	52	42	241	53	412	373	17	11	6	
Aberdeen Prov. Ord.,Md.	20707	1394	1345	49	727	34		77	13	68	30	204		3	65			4		145	7		2	22	4	2	17	2	2		
A.P.Hill Mil.Res., Va.	1680	1059	879	180	285	127		257		1	3	3						1		3	1										
Baltimore Gen.Disp.,Md.	1076	909	822	87	116	297		97		3	1				3	1		3		10								1	1		
Edgewood Arsenal, Md.	3057	615	561	54	197	177		48		1		2		2	5			5		10	4										
Eustis, Ft., Va. (RH)	6607	1093	1055	38	419	16		168	87		11	1			6	1		2		81	20	6	11	5		1					
Geo.G.Meade, Ft., Md.	33355	542	537	5	80	13	4	124	24	5	11				33	12		18	43	265	105	25	25	54	23	93	21	2	2		
Holabird Sig.Depot, Md.	2331	517	495	227	259		227			1	1																				
Indiantown Gap Mil. Res., Pa.	14095	473	436	37	122	11		50	19		4	5		2	15	8		21	5	48	11	10		20	5	5	3	1		1	
Langley Field, Va.	5074	326	293	33	43	12		39	67	6										15	4			2	1	3		1		1	
Lee, Co., Va. (RH)	33642	918	907	11	309	28		95	31	76	132	213	11	18	40			6		255	48	4		89	11	90	12	3	3		
Monroe, Ft., Va. ASF Depot	1592	451	425	267	72	98		295	137	2	1			1	5	2				24	16	5		2		1					
New Cumberland, Pa.	1986	702	644	58	100	167	57	57	57						3			1		1				1							
Pickett, Co., Va.	19545	772	757	15	276	5		178	4	31	33	16			5	3		16	3	297	28	1		7		20	11				
Stations Under 1000 Str. Gen. Hosp. & Conv. Hosp.	13754	718	643	75	149	17	14	74	36	8	2	3		5	4	5		34	2	83	14	1	4	39	9	197	309	7	3	4	

RESTRICTED

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.) ** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

34

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

VOLUME VI REPORT NO. 17

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS				
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES											ADMITTED	REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPSIS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	GONORRHEA EXCL. EPTS	VENEREAL*									
																	IN USA	OUT OF USA			SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS							
FOURTH SERVICE COMMAND	299661	601	569	32	121	24	2	130	23	360	260	334	33	46	578	62	6	158	38	301	500	193	189	572	104	807	361	40	17	22
Atlanta, Ga. Ord. Depot	2406	955	942	137	367			137												3										
Benning, Ft., Va. (RH)	26096	639	603	36	102	13		175	12	72	15	12	1	2	23	7	1	22	9	337	72	31	123	30		10		1	1	
Elanding, Cp., Fla.	2979	657	594	63	52	37		100								2				13	15	1	13			1				
Boca Raton Field, Fla.	2754	370	344	26	197			106		2				1						25	1	2								
Bragg, Ft., N.C. (RH)	46721	486	466	20	107	19		56	20	41	14	54	3	7	45	7		22	5	154	74	29	26	84	4	21	3	5	1	4
Butner, Cp., N.C. (RH) (CH)	2342	204	195	97	227			187												4										
Coral Gables AAF, Fla.	1451	610	545	65	147	77		367	222	2					1					5				23	8	50	3			
Eglin Field, Fla.	3210	337	282	55	36			64		7	1									18	2		14							
Gordon, Cp., Ga.	6709	620	598	22	9	27		132	43		1		1	1	1				2	55	30			28		3	21			
Greensboro AAFORD, N.C.	34291	422	404	18	108	19	37	104	16	13	23	34	4	3	32	6		7	1	313	30			47	6	12				
Greenville AAF, S.C.	1196	73	64	9	9			23			2							1		23	4									
Jackson, Ft., S.C.	24433	645	627	13	3	3	07		17	19	15	4			4	1	1	9	3	723	47	59		34	6	18		1		1
Keesler Field, Miss. (RH)	27418	829	798	31	292	75		26	22	117	37	89	5	8	176	4	1	3	2	62	5		3	51	8	21	12	3	3	
MacDill Field, Fla.	4396	474	424	50	48	57	17	92	127	3	1				2	3		5	2	36	2			5				3		3
Maxwell Field, Ala. (RH)	4958	417	386	31	42	107		107	19	3	1			3	3	1		2	1	41	9	1		3	6	6		2		2
McClellan, Ft., Ala. (RH)	25686	922	867	55	266	91	10	76	47		77	124	15	13	213	5		16	1	154	20	14	2	106	11	69		1		1
McPherson, Ft., Ga.	17397	550	523	27	112	25	5	123	25	29	14	3		7	41	3		27	2	177	33	3	3	39	4					
Memphis AAF, Tenn. 2nd Army Hq.	2197	416	407	97	90	57	97	104	57	2	1				1					19	3			1		1				
Memphis, Tenn.	1376	772	719	53	348	157	237	53		1	1	3			2					6	1							1		1
Morrison Field, Fla.	2707	514	449	65	142	87	23	42	47	2	2		2		2			1	1	7	4			1		1				

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

[illegible]

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

FORM SG-490 REV. 9 DEC. 1944

SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FIVE WEEKS PERIOD ENDED 29 MARCH 1946

VOLUME VI REPORT NO. 17

[illegible]

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

***SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

HEALTH REPORT

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																						NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES																				
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPSIS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS			
																	IN USA	OUT OF USA		GOONORRHEA EXCL. EPTS	SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
SEVENTH SERVICE COMMAND	117437	820	798	22	319	18	4	55	22	207	223	379	12	98	160	41	3	96	113	550	62	8	5	202	52	244	82	24	15	9	
Buckley Field, Colo. (RH)	2844	779	739	40	256	37	4?	51	59	14	7	14		6	7			2	1	14				10	6	18					
2nd Air Force, Colo.	1866	318	268	50	111		6?	39	6?					1						7				1							
Colorado Springs,																															
Crowder, Cp, Mo. (RH)	32160	1482	1471	11	822	38	4	62	26	120	130	328	9	63	104	3	2	16	3	160	25	5		76	3	21	5	5	1	4	
Wyo.																															
Francis E. Warren, Ft.,	2129	1574	1510	64	430	15?	44	98	24?	14	1	4	2	6				1	5	18	2			5		1					
Grand Island, Nebr. AAB	1161	206	188	18?	36?			18?		1										2											
Jefferson Bks., Mo.	8778	529	508	21	63	17	2?	70	9	1	9	4			6	6		8	65	53	6			8			2				
Leavenworth, Ft., Kans.	15897	557	548	9	56	14	2?	57	27	22	10	7		6	21	5		27	26	83	5		1	41		9	7				
USDB																															
Leavenworth, Ft., Kans.	1114	1036	1008	28?	205			37?												4			1				24				
Leonard Wood, Ft., Mo.	5356	942	909	33	276	8?	6?	86	39	9	9	3		8	4	1		2	1	37	7		2	20		7					
Logan, Ft., Colo.	4542	509	495	14	60	14		18	20	6	1							3	10	4	3	1		8	1	2					
Lowry Field, Colo.	7019	487	440	47	233	6?	9	51	3?	3	4	4		3	4			7		32	3			2							
Riley, Ft., Kans.	4534	800	789	11?	245	2?	2?	23	25	4	16	12		1	1	3		6		10			1	10	1	2		3	1	2	
Sedalia AAF, Mo.	1188	420	385	35?	44?		9?	36?		1										2	2							1		1	
Smoky Hill AAF, Kans. (RH)	2968	246	221	25	42	7?	4?	61	4?	1	2				2	2		1	1	11	5	1		1							
Snelling, Ft., Minn.	7305	383	359	24	110	6?		41	7?	1	19	1		3	2	7		8		29				5			1	4	2	2	
Topeka AAF, Kans.	1886	320	298	22?	77	6?		33	6?		3									6				1		1					
Stations Under 1000 Str. Gen. Hosp. & Conv. Hosp.	16600	520	484	36	108	7	2?	52	35	10	12	2	1	1	9	11	1	15	1	78	4	1		14	41	183	43	11	11		

HEALTH REPORT

RESTRICTED

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

VOLUME VI REPORT NO. 17

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES												ADMITTED		REMAINING AT END OF MONTH							
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	GONORRHEA EXCL. EPTS	VENEREAL*				PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY
																	IN USA	OUT OF USA			SYPHILIS EXCL. EPTS	OTHER VENEREAL EXCL. EPTS	TOTAL VENEREAL EPTS								
EIGHTH SERVICE COMMAND	239552	655	621	34	220	17	1	71	21	590	342	319	23	100	252	100	4	239	114	1330	266	40	127	436	55	581	256	69	36	33	
Amarillo AAF, Texas (RH)	1997	427	406	21?	167	10?		88	10?	2	1	1						1		16		1		1	1	2		2		2	
Barksdale Field, La. (RH)	3481	950	872	78	137	15?		176	18	7	4		1		5	2		5	2	48	11			6				4	1	3	
Bergstrom AAF, Texas	1342	333	302	31?	39?			62	16?		1							1		8				2		1					
Biggs Field, Texas	1225	297	221	76																											
Bliss, Ft., Texas	16839	877	869	8	465	2?	5	29		37	22	5		4	2			6		45	2		4								
Bowie, Co., Texas	2414	414	375	39	47	4?		34	8?	2	1				1			5		8				1	1						
Brooke Field, Texas	1113	56	56					56												6											
Chaffee, Co., Ark.	14879	397	370	27	34	15	2?	41	26	10	13	1	2		20	2		15	16	20	35	5	43	37		10	4	2		2	
Clovis AAF, N. Mex.	2024	448	391	57	103	5?		31			2				1			1		5	1		2								
Ellington Field, Texas	1154	433	415	18?	63	9?		72	45?		1				1			4		8				5							
Enid AAF, Okla.	1983	630	593	37	79			120	10?							1		3		17	6			2		1					
Fannin, Co., Texas	1426	831	780	51	58	22?		124	7?	3	1				3			4		14	3			1							
Fort Worth, Texas	3624	448	431	17	115	6?		123		1	6	1			2	1		5		35	8							2		2	
Goodfellow Field, Tex.	1859	493	459	34	56	17?		61		1						2				9	2										
Hood, Co., Texas	10876	501	454	47	45	4?		84	28	14	4	1			2	4		17		75	13		1	29			12	2	2		
Ark. (RH)																															
Jos. T. Robinson, Co.,	15642	903	836	67	506	23	4	38	37	44	29	13		12	30	16		11	13	46	10		2	56		26	12	1	1		
Kelly Field, Texas	2750	121	121					182												48											
Lake Charles AAF, La.	1995	558	511	47				99		3	5							3		18	1		3					3		3	
Love Field, Texas	2272	568	508	60	101			92			3							2		15	4	1									
New Orleans PoE, La.	13675	848	808	40	289	45		222	29	191	6	14	4		59	10	2	10	3	247	29	16		38		12	6	3	2	1	

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEKS PERIOD ENDED 29 MARCH 1946

[illegible]

HEALTH REPORT

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

RESTRICTED

VOLUME VI REPORT NO. 17

SERVICE COMMAND AND STATION	MEAN STRENGTH	A D M I S S I O N S																				NUMBER OF NEUROPSYCHIATRIC CASES				NUMBER OF DEATHS					
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES																				
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPS)*	NEURO- PSYCHIATRIC CASES	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	VENEREAL*					ADMITTED		REMAINING AT END OF MONTH				
																	IN USA	OUT OF USA		GONORRHEA EXCL. EPS	SYPHILIS EXCL. EPS	OTHER VENEREAL EXCL. EPS	TOTAL VENEREAL EPS	PSYCHIATRIC	ORGANIC NEUROLOGICAL	OPEN WARDS	LOCKED WARDS	ALL CAUSES	DISEASE	INJURY	
NINTH SERVICE COMMAND	224400	587	551	36	148	10	4	75	23	328	289	109	14	18	110	76	2	222	106	135	252	21	22	470	37	736	286	57	24	31	
Beale, Cp., Calif.	28955	588	570	18	82	8	3	152	20	36	17	1			11	3		16	9	328	95			48	7	23	8				
Castle Field, Calif.	1006	345	324	21?	124			62										1		6											
Cooke, Cp., Calif.	1375	530	310	220	15?	30?		16?	15?	1	1				3	1			1	1	1			2				1		1	
Douglas, Ft., Utah	5644	618	577	41	107	7?		10?	4?	11	3	2			2	5		10	1	3	2			2							
Fairfield-Suisun, AAF, Calif.	1456	308	279	29?	7?			7?			1		1								1										
Geiger Field, Wash.	3971	757	728	29	422	3?		34			16	5			1					6	7										
Haan, Cp., Calif.	2193	469	417	52	90	9?	9?	47	123	1	1					6		2		4	2	4		12	14	15					
Hamilton Field, Calif. (RH)	6214	299	274	25	65	3?		27			2				1			3		13	1	2				1		2		2	
Hammer Field, Calif.	1829	421	364	57	91	6?		40				3						2		6	1										
Jno.T.Knight,Cp., Calif.	3434	557	515	42	48	6?		94		1								1	1	26	5										
Kearns, AAFORD, Utah	13426	749	717	32	289	15		168	17	35	55	6		2	5			4		202	14	1		18	4		10				
Lawton, Ft., Wash.	10473	555	528	27	122	13	16	24	13	30	12	7				7		7	1	22	1	1	1	12	1		2				
Lewis, Ft., Wash.	37099	705	688	17	236	7		77	5	139	88	59	7	4				13		255	20	1	6	19							
Long Beach AAF, Calif.	1917	445	391	54	60	27	5?		11?	3				1	5			1		12				2		1					
Luke Field, Ariz.	1893	462	407	55	88	27		104	11?	1	1							3	1	15	4		2	2		2		3		3	
MacArthur, Ft., Calif.	13899	410	403	7	121	10		61		2	1		1	1	13			19	23	60	19	3									
March Field, Calif.	5162	326	290	36	58		12	60	14		7					2	2	7		25	5			5	2	2		3		3	
Mason, Ft., Calif.	1313	618	610	8?	127	16?		8?						1	1					1											
Mather Field, Calif.	1396	447	358	89	82		37?	44	7?	1		1						1		3	2	1		1							
McChord Field, Wash.	1501	243	236	7?	69		7?	7?		1											1										

FORM SG-490 REV. 9 DEC. 1944

*DOES NOT INCLUDE READMITTED CASES (I.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

**SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

FOR INDIVIDUAL STATIONS HAVING A STRENGTH OF 1000 OR OVER
FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

FORM SG-490 REV. 9 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.) ** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES
STATIONS WITH STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

STATION	CURRENT 5 WEEK PERIOD	PREVIOUS 4 WEEK PERIOD	STATION	CURRENT 5 WEEK PERIOD	PREVIOUS 4 WEEK PERIOD	STATION	CURRENT 5 WEEK PERIOD	PREVIOUS 4 WEEK PERIOD
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000		
New York, N.Y. Gen. Disp.	3762	3450	New York, N.Y. Gen. Disp.	3373	3185	New York, N.Y. Gen. Disp.	3373	3185
Pasadena, Calif. (RH)	1809	2123	Pasadena, Calif. (RH)	1766	2045	Pasadena, Calif. (RH)	1766	2045
Francis E. Warren, Ft., Wyo.	1574	1101	Hamilton, Ft., N.Y.	1512	1751	Hamilton, Ft., N.Y.	1512	1751
Hamilton, Ft., N.Y.	1571	1847	Francis E. Warren, Ft., Wyo.	1510	1059	Francis E. Warren, Ft., Wyo.	1510	1059
Crowder, Cp., Mo. (RH)	1482	1420	Crowder, Cp., Mo. (RH)	1471	1398	Crowder, Cp., Mo. (RH)	1471	1398
Chicago, Ill. Gen. Disp.	1394	1390	Aberdeen Prov. Grd., Md.	1345	1271	Aberdeen Prov. Grd., Md.	1344	1271
Aberdeen Prov. Grd., Md.	1394	1293	Chicago, Ill. Gen. Disp.	1300	1332	Chicago, Ill. Gen. Disp.	1300	1332
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			ATYPICAL PNEUMONIA ANNUAL ADMISSION RATE PER 1000		
Crowder, Cp., Mo. (RH)	822	838	Pasadena, Calif. (RH)	130	141	Pasadena, Calif. (RH)	109	94
Aberdeen Prov. Grd., Md.	727	745	Monroe, Ft., Va.	98	37?	McClellan, Ft., Ala. (RH)	86	113
Pasadena, Calif. (RH)	593	367	McClellan, Ft., Ala. (RH)	91	123	Grant, Cp., Ill.	69	54
Jos. T. Robinson, Cp., Ark.	506	675	Hamilton, Ft., N.Y.	86	124	Keesler Field, Miss. (RH)	67	26
Sheppard Field, Texas (RH)	515	658	Keesler Field, Miss. (RH)	75	32	New Orleans PoE, La.	53	34
Belvoir, Ft., Va. (RH)	495	726	Grant, Cp., Ill.	74	57	Hamilton, Ft., N.Y.	49	77
Eliss, Ft., Texas	465	328	Belvoir, Ft., Va. (RH)	59	79	Belvoir, Ft., Va. (RH)	39	35
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
New York, N.Y. Gen. Disp.	491	154	West Point, N.Y. Cadets	140	122	New York, N.Y. Gen. Disp.	389	265
Robins Field, Ga.	330	240	West Point, N.Y. Reg. Army	52	21?	Cooke, Cp., Calif.	220	49
Shelby, Cp., Miss.	311	227	Francis E. Warren, Ft., Wyo.	44	4?	West Point, N.Y. Cadets	210	139
Monroe, Ft., Va.	295	120	Ord, Ft., Calif. (RH)	28	13	A.P. Hill Mil. Res., Va.	180	64?
Oglethorpe, Ft., Ga.	278	210	Morrison Field, Fla.	23	6?	Stockton Field, Calif.	137	47
New Orleans PoE, La.	260	186	MacDill Field, Fla.	17	6?	Mitchel Field, N.Y. (RH)	125	16
Chicago, Ill. Gen. Disp.	242	139	Lawton, Ft., Wash.	16	2?	Stewart Field, N.Y.	116	72

FORM 96-613, 8 Jan 1944

RESTRICTED

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES
STATIONS WITH STRENGTH OF 1000 OR OVER

RESTRICTED

VOLUME VI REPORT NO. 17

FOR THE FIVE WEEK PERIOD ENDED 29 MARCH 1946

STATION	CURRENT 5 WEEK PERIOD	PREVIOUS 4 WEEK PERIOD	STATION	CURRENT 5 WEEK PERIOD	PREVIOUS 4 WEEK PERIOD	STATION	CURRENT 5 WEEK PERIOD	PREVIOUS 4 WEEK PERIOD
MEASLES ANNUAL ADMISSION RATE PER 1000			MUMPS ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
New Orleans PoE, La.	170	79	Missoula, Ft., Mont.	102	45?	Crowder, Cp., Mo. (RH)	106	74
Francis E. Warren, Ft., Wyo.	68	11?	Kearns AAFORD, Utah	43	24	Aberdeen Prov. Grd., Md.	102	26
Hamilton, Ft., N.Y.	59	38?	Geiger Field, Wash.	42	3?	Belvoir, Ft., Va. (RH)	79	84
Buckley Field, Colo. (RH)	51	26	Crowder, Cp., Mo. (RH)	42	41	Sheppard Field, Texas (RH)	70	27
San Antonio, Texas (RH)			Lee, Cp., Va. (RH)	41	17	Lee, Cp., Va. (RH)	66	12
Aviation Cadet Center	51	39	Sheppard Field, Texas (RH)	38	27	Scott Field, Ill. (RH)	60	30
Keesler Field, Miss. (RH)	44	4	Riley, Ft., Kans.	37	10?	Knox, Ft., Ky. (RH)	58	34
Lewis, Ft., Wash.	39	32						
MENINGITIS (M'COCCIC) ANNUAL ADMISSION RATE PER 1000			RHEUMATIC FEVER ANNUAL ADMISSION RATE PER 1000			NEUROPSYCHIATRIC ANNUAL ADMISSION RATE PER 1000		
McClellan, Ft., Ala. (RH)	6		Francis E. Warren, Ft., Wyo.	29		Pasadena, Calif. (RH)	456	344
Knox, Ft., Ky. (RH)	4	1?	Belvoir, Ft., Va. (RH)	23	9	Coral Gables AAF, Fla. (RH) (CH)	222	645
Lee, Cp., Va. (RH)	3	1?	Buckley Field, Colo. (RH)	22	30	Haan, Cp., Calif.	123	113
Crowder, Cp., Mo. (RH)	3		Crowder, Cp., Mo. (RH)	20	4	New York, N.Y. Gen. Disp.	120	43?
Sheppard Field, Texas (RH)	2	1?	Leonard Wood, Ft., Mo.	16	11	Missoula, Ft., Mont.	61	45?
Lewis, Ft., Wash.	2	6	Sheppard Field, Texas (RH)	16	4	Buckley Field, Colo. (RH)	59	82
NO OTHER STATION WITH SIX OR MORE CASES			San Antonio, Texas (RH)			Stoneman, Cp., Calif.	56	52
			Aviation Cadet Center	14	8			
SYPHILIS (EXCL. EPTS) ANNUAL ADMISSION RATE PER 1000			GONORRHEA (EXCL. EPTS) ANNUAL ADMISSION RATE PER 1000			OTHER VENEREAL (EXCL. EPTS) ANNUAL ADMISSION RATE PER 1000		
Monroe, Ft., Va.	105	30?	New York, N.Y. Gen. Disp.	463	137	Oglethorpe, Ft., Ga.	32	12?
Kilmer, Cp., N.J.	77	95	Jackson, Ft., S.C.	308	196	Jackson, Ft., S.C.	25	12
Elanding, Cp., Fla.	52	22	Robins Field, Ga.	295	230	Shelby, Cp., Miss.	21	28
Shelby, Cp., Miss.	51	40	Tinker Field, Okla.	240	179	New Orleans PoE, La.	14	11
Gordon, Cp., Ga.	47	41	Shelby, Cp., Miss.	239	159	Benning, Ft., Ga.	12	16
Bowman Field, Ky.	40	12?	Oglethorpe, Ft., Ga.	232	177	Eustis, Ft., Va.	9	
Beale, Cp., Calif.	34	25	New Orleans PoE, La.	220	162	Geo. G. Meade, Ft., Md. (RH)	8	8

FORM SG-614, 8 Jan 1944

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

